




SAKURA

RH-B53-30"



Range Hood Size (Width)

30 in.

Install Type

Under-Cabinet

Noise Level (Sones)

2~5 Sones

Features

Sensor Touch Screen

Stainless Baffle Filter


Air Flow Capacity (CFM)

150~1200



SAKURA

RH-B53-36"



Range Hood Size (Width)

36 in.

Install Type

Under-Cabinet

Noise Level (Sones)

2~5 Sones

Features

Sensor Touch Screen

Stainless Baffle Filter


Air Flow Capacity (CFM)

150~1200



SAKURA

RH-M-3000-30"



Range Hood Size (Width)

30 in.

Install Type

Under-Cabinet/Wall-mount Chimney

Noise Level (Sones)

2~5.5 Sones

Features

Sensor Touch Screen
Stainless Beehive Filter


Air Flow Capacity (CFM)

150~1200



SAKURA

RH-M-3000-36"



Range Hood Size (Width)

36 in.

Install Type

Under-Cabinet/Wall-mount Chimney

Noise Level (Sones)

2~5.5 Sones

Features

Sensor Touch Screen

Stainless Beehive Filter


Air Flow Capacity (CFM)

150~1200



SAKURA

RH-U-3H-30"



Range Hood Size (Width)

30 in.

Install Type

Under-Cabinet

Noise Level (Sones)

2~4 Sones

Features

Rocker Switch
Twin AC Motors


Air Flow Capacity (CFM)

350/700



SAKURA

RH-R727II-30"



Range Hood Size (Width)

30 in.

Install Type

Under-Cabinet

Noise Level (Sones)

2.5~6 Sones

Features

Rocker Switch
Twin AC Motors

Air Flow Capacity (CFM)

380~580